






Mortality Rates: Overall; Sex, Race, Age-Specific



* Denotes significant difference from City of Cincinnati at $p < 0.05$

Mortality Profile by Cause of Death*

CAUSE OF DEATH*	Linwood Deaths 2001-2007	Linwood Deaths per Year	Linwood Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Major cardiovascular diseases ^	8	1.1	110.49	265.16	0.42	0.007
Acute myocardial infarction ~	3	0.4	41.43	52.07	0.80	0.959
All other forms of chronic ischemic heart disease ~	3	0.4	41.43	100.95	0.41	0.133
Acute rheumatic fever and chronic rheumatic heart diseases	1	0.1	13.81	1.39	9.93	0.183
Heart failure	1	0.1	13.81	21.91	0.63	1.000
Malignant neoplasms ^	8	1.1	110.49	230.78	0.48	0.029
Malignant neoplasms of trachea, bronchus and lung ~	3	0.4	41.43	70.85	0.58	0.493
Malignant neoplasm of pancreas	2	0.3	27.62	10.68	2.59	0.276
Non-Hodgkin's lymphoma	2	0.3	27.62	6.51	4.24	0.138
Malignant neoplasm of breast	1	0.1	13.81	19.38	0.71	1.000
Chronic lower respiratory diseases ^	8	1.1	110.49	56.14	1.97	0.097
Other chronic lower respiratory diseases ~	7	1.0	96.68	47.30	2.04	0.136
Asthma	1	0.1	13.81	3.23	4.28	0.371
Cerebrovascular diseases ^~	5	0.7	69.06	71.05	0.97	1.000
Accidents (unintentional injuries) ^	4	0.6	55.25	42.58	1.30	0.719
Accidental poisoning and exposure to noxious substances	3	0.4	41.43	12.32	3.36	0.097
Falls	1	0.1	13.81	9.39	1.47	0.691
Other ^	4	0.6	55.25	163.06	0.34	0.017
All other diseases (Residual)	3	0.4	41.43	122.52	0.34	0.046
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	1	0.1	13.81	13.36	1.03	0.737
Chronic liver disease and cirrhosis	2	0.3	27.62	10.98	2.52	0.286
Alcoholic liver disease	2	0.3	27.62	5.47	5.05	0.105
Atherosclerosis	1	0.1	13.81	2.34	5.91	0.286
Diabetes mellitus ^~	1	0.1	13.81	44.76	0.31	0.331
Intentional self-harm (suicide)	1	0.1	13.81	11.63	1.19	0.727
Intentional self-harm (suicide) by discharge of firearms	1	0.1	13.81	5.07	2.73	0.510
Pneumonitis due to solids and liquids	1	0.1	13.81	9.69	1.43	0.697
Septicemia	1	0.1	13.81	17.39	0.79	1.000

*According to NCHS 50 leading cause of death categories and NCHS 113 cause of death groupings

^ Top ten cause of death category for City of Cincinnati (NCHS 50 leading cause of death rankings)

~ Top ten specific cause of death for City of Cincinnati (NCHS 113 cause of death groupings)

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for p < 0.05

Mortality Profile: Neighborhood Rates Higher than City of Cincinnati Rates

CAUSE OF DEATH*	Linwood Deaths per Year	Linwood Rate per 100,000	Cincinnati Rate per 100,000	SMR**	P-Value
Accidental poisoning and exposure to noxious substances	0.4	41.43	12.32	3.36	0.097
Acute rheumatic fever and chronic rheumatic heart diseases	0.1	13.81	1.39	9.93	0.183
Alcoholic liver disease	0.3	27.62	5.47	5.05	0.105
Asthma	0.1	13.81	3.23	4.28	0.371
Atherosclerosis	0.1	13.81	2.34	5.91	0.286
Falls	0.1	13.81	9.39	1.47	0.691
Intentional self-harm (suicide) by discharge of firearms	0.1	13.81	5.07	2.73	0.510
Malignant neoplasm of pancreas	0.3	27.62	10.68	2.59	0.276
Non-Hodgkin's lymphoma	0.3	27.62	6.51	4.24	0.138
Other chronic lower respiratory diseases	1.0	96.68	47.30	2.04	0.136
Pneumonitis due to solids and liquids	0.1	13.81	9.69	1.43	0.697
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	0.1	13.81	13.36	1.03	0.737

*NCHS 113 cause of death groupings

**SMR: Standardized Mortality Ratio – ratio of neighborhood rate to City of Cincinnati rate

Significantly greater than City of Cincinnati for p < 0.05